



DNA Repair Protein REV1 (REV1) Antibody


Catalogue No.: abx101027



Western blot analysis of Human MCF7 cell lysate, using Rabbit Anti-Human REV1 Antibody (1 µg/ml).



Western blot analysis of Human MCF7 cells, using Rabbit Anti-Human REV1 Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



IHC-P analysis of Human Kidney Tissue, using REV1 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Polyclonal Antibody to DNA Repair Protein REV1 (REV1).

Target: DNA Repair Protein REV1 (REV1)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 6.0.0
Revision date: 16 Sep 2025



Immunogen:	abx068904 - Recombinant REV1 (Ser301-Lys478) expressed in E. coli.
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9UBZ9 (UniProt , ExPASy)
Gene Symbol:	REV1
GeneID:	51455
KEGG:	hsa:51455
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Specificity:	Cross-reacts with Mouse and Pig REV1.
Concentration:	1 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.