



Vav 3 Oncogene (VAV3) Antibody


Catalogue No.: abx101251




Western blot analysis of (1) Human Jurkat Cells and (2) Human HeLa cells.




Western blot analysis of recombinant Human VAV3.



IHC-P analysis of Human Thyroid Tissue, with DAB staining.




IHC-P analysis of Human Kidney Tissue, with DAB staining.



IHC-P analysis of Human Esophagus Cancer Tissue, with DAB staining.

Datasheet

Version: 2.0.0
Revision date: 05 Sep 2025



IHC-P analysis of Human Breast Cancer Tissue, with DAB staining.

Polyclonal Antibody to Vav 3 Oncogene (VAV3).

Target:	Vav 3 Oncogene (VAV3)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 1-5 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	VAV3 (His183-Glu380)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.