



Apolipoprotein E (APOE) Antibody


Catalogue No.: abx101449




Western blot analysis of recombinant Rat APOE.




Western blot analysis of Rat Lung lysate, using Rabbit Anti-Rat APOE Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



Western blot analysis of Rat Serum, using Rabbit Anti-Rat APOE Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



Western blot analysis of Rat Blood Cells lysate, using Rabbit Anti-Rat APOE Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




Western blot analysis of Rat Liver lysate, using Rabbit Anti-Rat APOE Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).


Datasheet

Version: 3.0.0


Revision date: 21 Jun 2025




Western blot analysis of Mouse Serum, using Rabbit Anti-Rat APOE Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



IHC-P analysis of Rat Kidney Tissue, with DAB staining, using Rabbit Anti-Rat APOE Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Rat Liver Tissue, with DAB staining, using Rabbit Anti-Rat APOE Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Rat Testis Tissue, with DAB staining, using Rabbit Anti-Rat APOE Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Polyclonal Antibody to Apolipoprotein E (APOE).

Target: Apolipoprotein E (APOE)

Clonality: Polyclonal

Reactivity: Rat

Tested Applications: WB, IHC, IF/ICC

Datasheet

Version: 3.0.0
Revision date: 21 Jun 2025



Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx065427 - Recombinant APOE (Glu19-Arg168) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P02650 (UniProt , ExPASy)
KEGG:	rno:25728
String:	10116.ENSRNOP00000050968
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Specificity:	Cross-reacts with Mouse APOE.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.