



Secretogranin-2 (SCG2) Antibody


Catalogue No.: abx101581




Western blot analysis of Mouse Heart lysate, using Mouse SCG2 Antibody (2 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



Western blot analysis of the recombinant protein.



IHC-P analysis of Mouse Cerebrum Tissue, with DAB staining.



IHC-P analysis of Brain tissue, with DAB staining.

Polyclonal Antibody to Secretogranin II (SCG2).

Target: Secretogranin-2 (SCG2)

Clonality: Polyclonal

Reactivity: Mouse

Datasheet

Version: 3.0.0
Revision date: 18 Mar 2025



Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: SCG2 (Ala11-Ile187)

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q03517 ([UniProt](#), [ExPASy](#))

KEGG: mmu:20254

String: [10090.ENSMUSP00000062556](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.