




Sequestosome 1 (SQSTM1) Antibody

Catalogue No.:abx101583






IHC-P analysis of Human Prostate Gland Tissue, with DAB staining.




IHC-P analysis of Human Stomach Tissue, with DAB staining.



IHC-P analysis of Human Stomach Cancer Tissue, with DAB staining.





IHC-P analysis of Human Liver Tissue, with DAB staining.

Polyclonal Antibody to Seq	uestosome 1 (SQSTM1).
Target:	Sequestosome 1 (SQSTM1)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions	: WB: 0.01-2 μg/ml, IHC: 5-20 μg/ml, IF/ICC: 5-20 μg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	SQSTM1 (Val136-Gln400)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q13501 (<u>UniProt</u> , <u>ExPASy</u>)
KEGG:	hsa:8878
String:	<u>9606.ENSP00000374455</u>
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.
v1.0.0	Abbexa LTD, Cambridge, UK · Phone: +44 (0) 1223 755950 · Fax: +44 (0) 1223 755951 2 of 2 Abbexa LLC, Houston, TX USA · Phone: +1 832 327 7413 Abbexa BV, Leiden, NL Website: www.abbexa.com · Email: info@abbexa.com Email: info@abbexa.com