





Integrin Alpha D / CD11D (ITGAD) Antibody

Catalogue No.: abx101638



Western blot analysis of recombinant Human ITGaD.

IHC-P analysis of Human Kidney Tissue, with DAB staining, using Rabbit Anti-Human ITGaD Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).IHC-P analysis of Human Breast Cancer Tissue, with DAB staining, using Rabbit Anti-Human ITGaD Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).IHC-P analysis of Human Rectum Tissue, with DAB staining, using Rabbit Anti-Human ITGaD Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Polyclonal Antibody to Integrin Alpha D (ITGaD).

Target: Integrin Alpha D / CD11D (ITGAD)**Clonality:** Polyclonal**Reactivity:** Human

Datasheet

Version: 10.0.0
Revision date: 13 Oct 2025



Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx067277 - Recombinant ITGaD (Phe879-Asn1099) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q13349 (UniProt , ExPASy)
KEGG:	hsa:3681
String:	9606.ENSP00000373854
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration:	1 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.