



Toll Like Receptor 3 (TLR3) Antibody


Catalogue No.: abx102063




Western blot analysis of Human Jurkat Cells.




Western blot analysis of recombinant Human TLR3.



IHC-P analysis of Human Liver Cancer Tissue, with DAB staining.



IHC-P analysis of Human Kidney Tissue, with DAB staining.



IHC-P analysis of Human Liver Tissue, with DAB staining.

Datasheet

Version: 2.0.0
Revision date: 05 Mar 2025



Polyclonal Antibody to Toll Like Receptor 3 (TLR3).

Target:	Toll Like Receptor 3 (TLR3)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	TLR3 (Leu404-Leu532)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	O15455 (UniProt , ExPASy)
Gene Symbol:	TLR3
GeneID:	7098
OMIM:	603029
HGNC:	11849
KEGG:	hsa:7098
Ensembl:	ENSG00000164342
String:	9606.ENSP00000296795
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only