



Apoptosis Regulator Bcl-2 (BCL2) Antibody


Catalogue No.:abx102595




Western blot analysis of (1) Mouse Serum, (2) Human HL-60 Cells, (3) Human Jurkat Cells and (4) Human U-937 Cells.



Western blot analysis of (1) Wild-type HL-60 cell lysate, and (2) Bcl2 knockout HL-60 cell lysate, using Rabbit Anti-Mouse BCL2 Antibody (5 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody ([abx400001](#), 0.2 µg/ml).



Western blot analysis of recombinant Mouse Bcl2.



IHC-P analysis of Mouse Tissue, with DAB staining.

Polyclonal Antibody to B-Cell Leukemia/Lymphoma 2 (Bcl2).

Target: Apoptosis Regulator Bcl-2 (BCL2)

Clonality: Polyclonal

Reactivity: Mouse

Datasheet

Version: 4.0.0
Revision date: 14 Oct 2025



Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Bcl2 (Ala2-Asp208)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P10417 (UniProt , ExPASy)
Gene Symbol:	BCL2
GeneID:	12043
KEGG:	mmu:12043
Ensembl:	ENSMUSG000000057329
String:	10090.ENSMUSP00000108371
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.