



Interleukin 17 Receptor A (IL17RA) Antibody


Catalogue No.: abx102762




Western blot analysis of Mouse Pancreas Tissue.




Western blot analysis of recombinant Mouse IL17RA.



IHC-P analysis of Mouse Lung Tissue, with DAB staining.




IHC-P analysis of Mouse Testis Tissue, with DAB staining.



IHC-P analysis of Mouse Kidney Tissue, with DAB staining.

Datasheet

Version: 2.0.0
Revision date: 01 Mar 2025



IHC-P analysis of Mouse Intestine Tissue, with DAB staining.

Polyclonal Antibody to Interleukin 17 Receptor A (IL17RA).

Target:	Interleukin 17 Receptor A (IL17RA)
Clonality:	Polyclonal
Reactivity:	Mouse
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	IL17RA (Arg590-Trp848)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration:	0.67 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.