



Prostatic Acid Phosphatase (ACP3) Antibody


Catalogue No.: abx102962



Western blot analysis of (1) Human PC-3 Cells and (2) Human MCF7 Cells.




Western blot analysis of recombinant Human ACP3.




IHC-P analysis of MCF7 cells, with FITC staining.




IHC-P analysis of Human Glioma Tissue, with DAB staining.



IHC-P analysis of Human Kidney Tissue, with DAB staining.



IHC-P analysis of Human Stomach Tissue, with DAB staining.



IHC-P analysis of Human Liver Tissue, with DAB staining.

Prostatic Acid Phosphatase (ACP3) Antibody is a Rabbit Polyclonal Antibody against Prostatic Acid Phosphatase (ACP3).

Target:	Prostatic Acid Phosphatase (ACP3)
Research Area:	Enzymes and Kinases, Metabolic Pathways, Tumor Immunity, Bone Metabolism
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-5 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	ACP3 (Ser217-Asp386)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Datasheet

Version: 3.0.0

Revision date: 17 Jul 2025



UniProt Primary AC: P15309 ([UniProt](#), [ExPASy](#))

Gene Symbol: ACP

KEGG: hsa:55

String: [9606.ENSP00000323036](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only