



B-Cell Differentiation Antigen CD72 (CD72) Antibody


Catalogue No.:abx102985



Western blot analysis of Mouse Testis Tissue.



Western blot analysis of recombinant Human CD72.



IHC-P analysis of Spleen tissue, with DAB staining.

Polyclonal Antibody to Cluster Of Differentiation 72 (CD72).

Target: B-Cell Differentiation Antigen CD72 (CD72)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 2.0.0
Revision date: 10 Oct 2025



Immunogen:	CD72 (Glu169-Asp359)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P21854 (UniProt , ExPASy)
KEGG:	hsa:971
String:	9606.ENSP00000379980
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only