



Stromal Cell-Derived Factor 1 / SDF1 (CXCL12) Antibody


Catalogue No.: abx103066




Western blot analysis of (1) Mouse Heart Tissue and (2) Mouse Kidney Tissue.




Western blot analysis of recombinant Human SDF1.



IHC-P analysis of Human Stomach Tissue, with DAB staining.



IHC-P analysis of Human Esophagus Cancer Tissue, with DAB staining.



IHC-P analysis of Human Liver Tissue, with DAB staining.

Datasheet

Version: 4.0.0
Revision date: 13 Sep 2025



Polyclonal Antibody to Stromal Cell-Derived Factor 1 / SDF1 (CXCL12).

Target:	Stromal Cell-Derived Factor 1 / SDF1 (CXCL12)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	SDF1 (Pro23-Lys89)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P48061 (UniProt , ExPASy)
Gene Symbol:	CXCL12
GeneID:	6387
OMIM:	600835
HGNC:	10672
KEGG:	hsa:6387
Ensembl:	ENSG00000107562
String:	9606.ENSP00000379140
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Datasheet

Version: 4.0.0

Revision date: 13 Sep 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only