



Interleukin 11 Receptor Alpha (IL11Ra) Antibody


Catalogue No.: abx103280




Western blot analysis of recombinant Mouse IL11Ra.




Western blot analysis of Mouse Serum.



IHC-P analysis of Mouse Stomach Tissue, with DAB staining, using Rabbit Anti-Mouse IL11Ra Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Mouse Small Intestine Tissue, with DAB staining, using Rabbit Anti-Mouse IL11Ra Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Mouse Cerebrum Tissue, with DAB staining, using Rabbit Anti-Mouse IL11Ra Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Datasheet

Version: 2.0.0
Revision date: 09 Oct 2025



IHC-P analysis of Mouse Testis Tissue, with DAB staining, using Rabbit Anti-Mouse IL11Ra Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Mouse Uterus Tissue, with DAB staining, using Rabbit Anti-Mouse IL11Ra Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Polyclonal Antibody to Interleukin 11 Receptor Alpha (IL11Ra).

Target:	Interleukin 11 Receptor Alpha (IL11Ra)
Clonality:	Polyclonal
Reactivity:	Mouse
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.5-3 µg/ml, IHC: 5-30 µg/ml, IF/ICC: 5-30 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx067433 - Recombinant IL11Ra (Asn194-Gln329) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q64385 (UniProt , ExPASy)

Datasheet

Version: 2.0.0

Revision date: 09 Oct 2025



Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Specificity: Cross-reacts with Rat IL11Ra.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only