



S100 Calcium Binding Protein P (S100P) Antibody


Catalogue No.: abx103318




Western blot analysis of Human Leukocyte Cells.




Western blot analysis of Human Leukocyte lysate (1) and HeLa cell lysate (2), using Human S100P Antibody (0.2 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




Western blot analysis of HeLa cell lysate (1) and BXP3 cell lysate (2), using Human S100P Antibody (0.2 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




IHC-P analysis of Human Breast Cancer Tissue, using Human S100P Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml) with DAB staining.




IHC-P analysis of Human Lung Tissue, using Human S100P Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml) with DAB staining.



IHC-P analysis of Human Bile Duct Cancer Tissue, using Human S100P Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml) with DAB staining.



IF analysis of Human HepG2 cells using Human S100P Antibody (10 µg/ml) and FITC-conjugated Goat Anti-Rabbit secondary antibody (1 µg/ml).



IF analysis of HeLa cells using Human S100P Antibody (20 µg/ml) and AF488-conjugated Goat Anti-Rabbit secondary antibody (2 µg/ml).

Polyclonal Antibody to S100P.

Target: S100 Calcium Binding Protein P (S100P)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx068982](#) - Recombinant S100P (Met1-Lys95) expressed in E. coli.

Datasheet

Version: 5.0.0

Revision date: 22 Dec 2025



Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P25815 (UniProt , ExPASy)
KEGG:	hsa:6286
String:	9606.ENSP00000296370
Buffer:	PBS, pH 7.4, containing 0.02% sodium azide, 50% glycerol.
Concentration:	1 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only