



Pigment Epithelium-Derived Factor (SERPINF1) Antibody


Catalogue No.: abx103479




WB analysis of Mouse serum, using SERPINF1 antibody (0.5 µg/ml) and and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




WB analysis of Mouse serum (1), Mouse plasma (2), Rat serum (3) and Rat plasma (4) using SERPINF1 antibody (0.5 µg/ml) and and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




IHC-P analysis, with DAB staining of Mouse uterus tissue, using SERPINF1 antibody (20 µg/ml) and and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis, with DAB staining of Mouse kidney tissue, using using SERPINF1 antibody (20 µg/ml) and and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis, with DAB staining of Mouse stomach tissue, using using SERPINF1 antibody (20 µg/ml) and and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis, with DAB staining, of Mouse cerebrum tissue, using using SERPINF1 antibody (20 µg/ml) and and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis, with DAB staining, of Mouse liver tissue, using using SERPINF1 antibody (20 µg/ml) and and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis, with DAB staining of Mouse kidney tissue, using using SERPINF1 antibody (20 µg/ml) and and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Polyclonal Antibody to SERPINF1.

Target: Pigment Epithelium-Derived Factor (SERPINF1)

Clonality: Polyclonal

Reactivity: Mouse

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx068543](#) - Recombinant SERPINF1 (Ser19-Thr417), expressed in E. coli

Datasheet

Version: 3.0.0

Revision date: 09 May 2025



Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P97298 (UniProt , ExPASy)
Gene Symbol:	SERPINF1
GeneID:	20317
KEGG:	mmu:20317
Ensembl:	ENSMUST00000000769
String:	10090.ENSMUSP00000000769
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Specificity:	Cross-reacts with Rat SERPINF1.
Concentration:	1 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.