



S100 Calcium Binding Protein A6 (S100A6) Antibody


Catalogue No.: abx103527




Western blot analysis of (1) Human HeLa cells, (2) Human A549 Cells and (3) Human MCF7 Cells.




Western blot analysis of Human MCF7 cell lysate, using Mouse Anti-Human S100A6 Antibody (3 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody ([abx400001](#), 0.2 µg/ml).



Western blot analysis of recombinant Human S100A6.




IHC-P analysis of Human Prostate Gland Tissue, with DAB staining.




IHC-P analysis of Human Glioma Tissue, with DAB staining.

Datasheet

Version: 2.0.0
Revision date: 22 Dec 2025



IHC-P analysis of Human Pancreas Cancer Tissue, with DAB staining.



IHC-P analysis of Human Skin Cancer Tissue, with DAB staining.

Monoclonal Antibody to S100A6.

Target:	S100 Calcium Binding Protein A6 (S100A6)
Clonality:	Monoclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Mouse
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Met1-Gly90
Isotype:	IgG _{2b} Kappa
Form:	Liquid
Purification:	Purified by Protein A and Protein G affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Datasheet

Version: 2.0.0

Revision date: 22 Dec 2025



UniProt Primary AC: P06703 ([UniProt](#), [ExPASy](#))

KEGG: hsa:6277

String: [9606.ENSP00000357709](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only