



Cyclic ADP-Ribose Hydrolase 2 (BST1) Antibody

Catalogue No.: abx103565



Western blot analysis of recombinant Human BST1.



IHC-P analysis of Human Tissue, with DAB staining.

Polyclonal Antibody to Bone Marrow Stromal Cell Antigen 1 (BST1).

Target: Cyclic ADP-Ribose Hydrolase 2 (BST1)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1-5 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: BST1 (Arg63-Ala313)

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Datasheet

Version: 3.0.0

Revision date: 24 Jun 2025



UniProt Primary AC: Q10588 ([UniProt](#), [ExPASy](#))

KEGG: hsa:683

String: [9606.ENSP00000265016](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only