



Vascular Cell Adhesion Molecule 1 (VCAM1) Antibody


Catalogue No.: abx103675




Western blot analysis of (1) Mouse Kidney Tissue, (2) Mouse Placenta Tissue and (3) Human HeLa cells.




Western blot analysis of recombinant Human VCAM1.



IHC-P analysis of Human Liver Tissue, with DAB staining.




IHC-P analysis of Human Liver Cancer Tissue, with DAB staining.



IHC-P analysis of Human Rectum Cancer Tissue, with DAB staining.

Datasheet

Version: 3.0.0
Revision date: 27 Aug 2025



IHC-P analysis of Human Kidney Tissue, with DAB staining.

Polyclonal Antibody to Vascular Cell Adhesion Molecule 1 / CD106 (VCAM1).

Target:	Vascular Cell Adhesion Molecule 1 (VCAM1)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	VCAM1 (Gln109-Ser318 (23))
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P19320 (UniProt , ExPASy)
Gene Symbol:	VCAM1
KEGG:	hsa:7412
String:	9606.ENSP00000294728
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Datasheet

Version: 3.0.0

Revision date: 27 Aug 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only