



Fibroblast Growth Factor Receptor 3 (FGFR3) Antibody


Catalogue No.: abx103827




Western blot analysis of recombinant Human FGFR3.




Western blot analysis of Mouse placenta tissue.



IHC-P analysis of paraffin embedded Human kidney tissue, with DAB staining, using FGFR3 antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of paraffin embedded Human breast cancer tissue, with DAB staining, FGFR3 antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of paraffin embedded Human skin cancer tissue, with DAB staining, using FGFR3 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Datasheet

Version: 7.0.0
Revision date: 10 Jun 2025



Polyclonal Antibody to Fibroblast Growth Factor Receptor 3 (FGFR3).

Target:	Fibroblast Growth Factor Receptor 3 (FGFR3)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx066614 - Recombinant FGFR3 (Val166-Gly375) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P22607 (UniProt , ExPASy)
Gene Symbol:	FGFR3
GeneID:	2261
OMIM:	134934
HGNC:	3690
KEGG:	hsa:2261
String:	9606.ENSP00000339824
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Specificity:	Cross-reacts with Mouse FGFR3.
Concentration:	0.66 mg/ml

Datasheet

Version: 7.0.0

Revision date: 10 Jun 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only