



C-C Motif Chemokine 17 (CCL17) Antibody

Catalogue No.: abx103954



Western blot analysis of the recombinant protein.



IHC-P analysis of Human Tissue, with DAB staining.

Polyclonal Antibody to C-C Motif Chemokine 17 (CCL17).

Target: C-C Motif Chemokine 17 (CCL17)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: TARC (Thr27-Ser94)

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Datasheet

Version: 3.0.0
Revision date: 19 Sep 2025



UniProt Primary AC: Q92583 ([UniProt](#), [ExPASy](#))

Gene Symbol: CCL17

GeneID: [6361](#)

OMIM: [601520](#)

HGNC: 10615

KEGG: hsa:6361

Ensembl: ENSG00000102970

String: [9606.ENSP00000219244](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.