



Antiviral Innate Immune Response Receptor RIG-I (RIGI) Antibody


Catalogue No.: abx104045




Western blot analysis of Human HepG2 Cells.




Western blot analysis of recombinant Mouse RIG1.




IHC-P analysis of Mouse Testis Tissue, with DAB staining.



IHC-P analysis of Mouse Heart Tissue, with DAB staining.



IHC-P analysis of Mouse Uterus Tissue, with DAB staining.



IHC-P analysis of Mouse Liver Tissue, with DAB staining.

Polyclonal Antibody to Antiviral Innate Immune Response Receptor RIG-I (RIGI).

Target:	Antiviral Innate Immune Response Receptor RIG-I (RIGI)
Clonality:	Polyclonal
Reactivity:	Mouse
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	RIG1 (Met1-Gln211)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q6Q899 (UniProt , ExPASy)
Gene Symbol:	RIGI
GeneID:	230073
KEGG:	mmu:230073
String:	10090.ENSMUSP00000042433

Datasheet

Version: 4.0.0

Revision date: 21 Jun 2025



Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only