



## Ubiquitin Carboxyl Terminal Hydrolase L1 (UCHL1) Antibody


Catalogue No.: abx104208




WB analysis of the recombinant protein.




WB analysis of Human A549 cell lysate, using Rat UCHL1 Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




WB analysis of Rat spinal cord lysate, using Rat UCHL1 Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




WB analysis of Rat cerebrum lysate, using Rat UCHL1 Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




WB analysis of Rat testis lysate, using Rat UCHL1 Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



IHC-P analysis of Rat tissue, with DAB staining.



IHC-P analysis of Rat testis tissue, using Rat UCHL1 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Rat pancreas tissue, using Rat UCHL1 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Polyclonal Antibody to Ubiquitin Carboxyl Terminal Hydrolase L1 (UCHL1).

**Target:** Ubiquitin Carboxyl Terminal Hydrolase L1 (UCHL1)

**Clonality:** Polyclonal

**Reactivity:** Rat

**Tested Applications:** WB, IHC

**Host:** Rabbit

**Recommended dilutions:** WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

**Conjugation:** Unconjugated

**Immunogen:** [abx069585](#) - Recombinant UCHL1 (Gln2-Ala223) expressed in E. coli.

# Datasheet

Version: 4.0.0  
Revision date: 03 Sep 2025



|                            |                                                                                                                                            |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Form:</b>               | Liquid                                                                                                                                     |
| <b>Purification:</b>       | Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.                                       |
| <b>Storage:</b>            | Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.                                                                             |
| <b>UniProt Primary AC:</b> | Q00981 ( <a href="#">UniProt</a> , <a href="#">ExPASy</a> )                                                                                |
| <b>KEGG:</b>               | rno:29545                                                                                                                                  |
| <b>String:</b>             | <a href="#">10116.ENSRNOP00000003248</a>                                                                                                   |
| <b>Buffer:</b>             | 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.                                                                            |
| <b>Specificity:</b>        | Cross-reacts with Human UCHL1.                                                                                                             |
| <b>Concentration:</b>      | 0.5 mg/ml                                                                                                                                  |
| <b>Note:</b>               | THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION. |

For Reference Only