



Muscle, Skeletal, Receptor Tyrosine Kinase (MUSK) Antibody


Catalogue No.: abx104242




WB analysis of Human Jurkat Cells.



IHC-P analysis of Mouse Liver Tissue with DAB staining, using Rabbit Anti-Mouse MUSK Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Mouse Heart Tissue, with DAB staining, using Rabbit Anti-Mouse MUSK Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Skeletal Muscle Tissue, with Vector Red staining, using Rabbit Anti-Mouse MUSK Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Polyclonal Antibody to Muscle, Skeletal, Receptor Tyrosine Kinase (MUSK).

Target: Muscle, Skeletal, Receptor Tyrosine Kinase (MUSK)

Clonality: Polyclonal

Reactivity: Mouse

Datasheet

Version: 6.0.0
Revision date: 04 Oct 2025



Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx068118 - Recombinant Mouse MUSK (Cys517-Arg766) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q61006 (UniProt , ExPASy)
Gene Symbol:	MUSK
GeneID:	18198
KEGG:	mmu:18198
String:	10090.ENSMUSP00000081625
Buffer:	PBS, pH 7.4, containing 0.02% NaN ₃ , 50% glycerol.
Specificity:	Cross-reacts with Human and Rat MUSK.
Concentration:	0.51 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.