



Programmed Cell Death 1 Ligand 1 (CD274) Antibody


Catalogue No.: abx104347




Western blot analysis of recombinant Human CD274.




Western blot analysis of (1) Wild-type MB231 cell lysate, and (2) CD274 knockout MB231 cell lysate, using Rabbit Anti-Human CD274 Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



Western blot analysis of (1) Human Placenta lysate, and (2) Mouse Heart lysate, using Rabbit Anti-Human CD274 Antibody (2 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




Western blot analysis of Pig Heart lysate, using Rabbit Anti-Human CD274 Antibody (3 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



Western blot analysis of Pig Skeletal Muscle lysate, using Rabbit Anti-Human CD274 Antibody (2 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).

Datasheet

Version: 6.0.0
Revision date: 16 Sep 2025



IHC-P analysis of Human Tonsil Tissue, with DAB staining, using Rabbit Anti-Human CD274 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Polyclonal Antibody to Programmed Cell Death Protein 1 Ligand 1 (PDCD1LG1).

Target:	Programmed Cell Death 1 Ligand 1 (CD274)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.5-3 µg/ml, IHC: 5-30 µg/ml, IF/ICC: 5-30 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx068681 - Recombinant CD274 (Pro24-Pro234) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9NZQ7 (UniProt , ExPASy)
String:	9606.ENSP00000370989
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Specificity:	Cross-reacts with Mouse and Pig PDL1/CD274.
Concentration:	1 mg/ml

Datasheet

Version: 6.0.0

Revision date: 16 Sep 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only