



Receptor II For The Fc Region of Immunoglobulin E (FcεRII) Antibody


Catalogue No.: abx104557



Western blot analysis of Mouse Serum.



Western blot analysis of recombinant Mouse FcεRII.



IHC-P analysis of Mouse Tissue, with DAB staining.

Polyclonal Antibody to Receptor II For The Fc Region Of Immunoglobulin E (FcεRII).

Target: Receptor II For The Fc Region of Immunoglobulin E (FcεRII)

Clonality: Polyclonal

Reactivity: Mouse

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Datasheet

Version: 4.0.0

Revision date: 28 Jun 2025



Immunogen:	FceRII (Leu150-Pro330)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P20693 (UniProt , ExPASy)
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only