



Tumor Necrosis Factor Ligand Superfamily Member 10 (TNFSF10) Antibody

Catalogue No.:abx104659



Western blot analysis of recombinant Human TNFSF10.




IHC-P analysis of Human Prostate Gland Tissue, with DAB staining.



IHC-P analysis of Human Glioma Tissue, with DAB staining.



IHC-P analysis of Human Brain Tissue, with DAB staining.



IHC-P analysis of Human Kidney Tissue, with DAB staining.

Datasheet

Version: 4.0.0 Revision date: 01 Sep 2025



Monoclonal Antibody to Tumor Necrosis Factor Ligand Superfamily Member 10 (TNFSF10).

Target: Tumor Necrosis Factor Ligand Superfamily Member 10 (TNFSF10)

Research Area: Apoptosis, Tumor Immunity

Clonality: Monoclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Mouse

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be

determined by the end user.

Conjugation: Unconjugated

Immunogen: Val114-Gly281

Isotype: IgG_{2b} Kappa

Form: Liquid

Purification: Purified by Protein A and Protein G affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P50591 (UniProt, ExPASy)

Gene Symbol: TNFSF10

GeneID: 8743

KEGG: hsa:8743

String: <u>9606.ENSP00000241261</u>

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.