



Sal-Like Protein 4 (SALL4) Antibody


Catalogue No.: abx005379




Western blot analysis of extracts of various cell lines using Sall4 Antibody (1/1000 dilution).




Immunohistochemistry of paraffin-embedded Human testis using Sall4 Antibody (1/200 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Immunohistochemistry of paraffin-embedded Rat testis using Sall4 Antibody (1/200 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Immunohistochemistry of paraffin-embedded Mouse testis using Sall4 Antibody (1/200 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Immunofluorescence analysis of rat testis cells using Sall4 Antibody (1/100 dilution, 40x lens). Blue: DAPI for nuclear staining.

Datasheet

Version: 4.0.0
Revision date: 22 Dec 2025



SALL4 Antibody is a Rabbit Polyclonal antibody against SALL4. The protein encoded by this gene may be a zinc finger transcription factor. Defects in this gene are a cause of Duane-radial ray syndrome (DRRS).

Target:	Sal-Like Protein 4 (SALL4)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 1/500 - 1/2000, IHC-P: 1/50 - 1/200, IF/ICC: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant fusion protein corresponding to human Sall4
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9UJQ4 (UniProt , ExPASy)
Gene Symbol:	SALL4
GeneID:	57167
NCBI Accession:	NP_065169.1
String:	9606.ENSP00000217086
Molecular Weight:	Calculated MW: 65 kDa/112 kDa Observed MW: 75 kDa
Buffer:	PBS, pH 7.3, containing 0.01% thiomersal, 50% glycerol.
Concentration:	1 mg/ml

Datasheet

Version: 4.0.0

Revision date: 22 Dec 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only