



## Donkey Anti-Rabbit IgG H&L Antibody (HRP)


Catalogue No.: abx005566



Western blot analysis of lysates from HeLa cells, using  $\beta$ -actin antibody as the primary antibody. Secondary antibody: HRP Donkey Anti-Rabbit IgG (H+L) antibody at 1/2000-1/30000 dilution. Lysates/proteins: 25  $\mu$ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 30s.



Immunohistochemistry analysis of paraffin-embedded Human liver (primary antibody is acox1) using HRP Donkey Anti-Rabbit IgG (H+L) at dilution of 1/100 (40x lens). High pressure antigen retrieval performed in 0.01 M Citrate buffer (pH 6.0) prior to IHC staining.



Immunohistochemistry analysis of paraffin-embedded Human liver (the primary antibody is acox1, And the control secondary antibody is stained) using HRP Donkey Anti-Rabbit IgG (H+L) at dilution of 1/100 (40x lens). High pressure antigen retrieval performed in 0.01 M Citrate buffer (pH 6.0) prior to IHC staining.

Donkey Anti-Rabbit IgG (H+L) Antibody (HRP) is a Donkey antibody against Rabbit IgG (H+L). This product is for research use only, not for diagnostic or therapeutic use.

**Target:** Rabbit IgG H&L

**Clonality:** Polyclonal

**Reactivity:** Rabbit

**Tested Applications:** WB, IHC

**Host:** Donkey

**Recommended dilutions:** WB: 1/5000 - 1/100000, IHC-P: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.

# Datasheet

Version: 5.0.0

Revision date: 10 Jul 2025



|                       |                                                                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Conjugation:</b>   | HRP                                                                                                                                        |
| <b>Immunogen:</b>     | Rabbit IgG                                                                                                                                 |
| <b>Isotype:</b>       | IgG                                                                                                                                        |
| <b>Form:</b>          | Liquid                                                                                                                                     |
| <b>Purification:</b>  | Purified by affinity chromatography.                                                                                                       |
| <b>Storage:</b>       | Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.                                                                             |
| <b>Buffer:</b>        | PBS, pH 7.3, containing 0.75% BSA, 50% glycerol.                                                                                           |
| <b>Concentration:</b> | 0.8 mg/ml                                                                                                                                  |
| <b>Note:</b>          | THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION. |

For Reference Only