



Transcription Factor BTF3 (BTF3) Antibody

Catalogue No.: abx110270



IHC-P analysis of human colon cancer tissue, using BTF3 antibody (1/100 dilution).



IF analysis of HepG2 cells, using BTF3 antibody (1/100 dilution) and AF488-conjugated Goat Anti-Rabbit IgG (H+L) antibody.

Transcription Factor BTF3 Antibody is a Rabbit Polyclonal antibody against Transcription Factor BTF3.

Target:	Transcription Factor BTF3 (BTF3)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	IHC: 1/20 - 1/200, IF/ICC: 1/50 - 1/200. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant human Transcription Factor BTF3 protein (48-206 AA).
Isotype:	IgG
Form:	Liquid
Purity:	> 95%

Datasheet

Version: 3.0.0
Revision date: 05 Mar 2025



Purification:	Purified by Protein G.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P20290 (UniProt , ExPASy)
Gene Symbol:	BTF3
GeneID:	689
OMIM:	602542
NCBI Accession:	NP_001032726.1, NM_001037637.1
KEGG:	hsa:689
String:	9606.ENSP00000369965
Buffer:	0.01 M PBS, pH 7.4, 0.03% Proclin-300 and 50% Glycerol.
Concentration:	3.545 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.