

26S Proteasome Non-ATPase Regulatory Subunit 7 (PSMD7) Antibody

Catalogue No.: abx114754

Proteasome (Prosome, Macropain) 26S Subunit, Non-Atpase, 7 Antibody is a Rabbit Polyclonal antibody against Proteasome (Prosome, Macropain) 26S Subunit, Non-Atpase, 7. The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a non-ATPase subunit of the 19S regulator. A pseudogene has been identified on chromosome 17.

Target:	26S Proteasome Non-ATPase Regulatory Subunit 7 (PSMD7)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Human PSMD7.
Isotype:	IgG
Form:	Liquid
Purification:	Antigen Affinity Chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P51665 (UniProt , ExPASy)
Gene Symbol:	PSMD7
GenelD:	5713
OMIM:	157970

Datasheet

Version: 3.0.0

Revision date: 10 Sep 2025



HGNC: 9565

KEGG: hsa:5713

Ensembl: ENSG00000103035

String: [9606.ENSP00000219313](#)

Buffer: PBS, pH 7.3, containing 0.1% Sodium Azide and 50% Glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only