


## Interleukin 10 (IL10) Antibody

Catalogue No.:abx011006



Western blot analysis using IL10 antibody against IL10 recombinant protein.

Interleukine 10 (IL-10) is a cytokine produced primarily by monocytes and to a lesser extent by lymphocytes. This cytokine has pleiotropic effects in immunoregulation and inflammation. It down- regulates the expression of Th1 cytokines, MHC class II Ags, and costimulatory molecules on macrophages. It also enhances B cell survival, proliferation, and antibody production. This cytokine can block NF- kappa B activity, and is involved in the regulation of the JAK-STAT signaling pathway. Knockout studies in mice suggested the function of this cytokine as an essential immunoregulator in the intestinal tract.

Target: Interleukin 10 (IL10)

Clonality: Monoclonal

Reactivity: Human

Tested Applications: ELISA

Host: Mouse

Recommended dilutions: ELISA: 1/10000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Purified recombinant fragment of human IL-10 expressed in E. coli.

Isotype: IgG<sub>1</sub>

Form: Liquid

Purification: Unpurified ascites.

**Storage:** Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P22301 (UniProt, ExPASy)

1 of 2

## **Datasheet**

Version: 3.0.0 Revision date: 05 Mar 2025



Gene Symbol: IL10

GeneID: <u>3586</u>

OMIM: <u>124092</u>

**HGNC**: 5962

KEGG: hsa:3586

Ensembl: ENSG00000136634

String: <u>9606.ENSP00000412237</u>

Molecular Weight: 21 kDa

**Buffer:** Ascitic fluid containing 0.03% sodium azide.

Concentration: Not determined.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.

exa BV, Leiden, NL