


Tumor Necrosis Factor Receptor Superfamily Member 10D (TNFRSF10D) Antibody

Catalogue No.: abx027574



The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor contains an extracellular TRAIL-binding domain, a transmembrane domain, and a truncated cytoplasmic death domain. This receptor does not induce apoptosis, and has been shown to play an inhibitory role in TRAIL-induced cell apoptosis.

Target:	Tumor Necrosis Factor Receptor Superfamily Member 10D (TNFRSF10D)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	KLH-conjugated synthetic peptide between 254-283 amino acids from the C-terminal region of human TNFRSF10D.
Isotype:	IgG
Form:	Liquid
Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9UBN6 (UniProt , ExPASy)

Datasheet

Version: 2.0.0

Revision date: 11 Mar 2025



Gene Symbol: TNFRSF10D

String: [9606.ENSP00000310263](#)

Molecular Weight: Calculated MW: 41.8 kDa

Buffer: PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only