

Receptor II For The Fc Region of Immunoglobulin E (FceRII) Antibody (Biotin)

Catalogue No.: abx272790

Receptor II For The Fc Region Of Immunoglobulin E (FceRII) Antibody (Biotin) is a Rabbit Polyclonal antibody conjugated to Biotin against Receptor II For The Fc Region Of Immunoglobulin E (FceRII).

Target:	Receptor II For The Fc Region of Immunoglobulin E (FceRII)
Clonality:	Polyclonal
Reactivity:	Mouse
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.5-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Biotin
Isotype:	IgG
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.